




Republic of the Philippines  
DEPARTMENT OF HEALTH  
REGIONAL OFFICE X

J. V. Serina Street, Carmen, Cagayan de Oro City  
PABX (088) 8587123, (08822) 726476 / 727400 / 8587132 / 8582035/ 8584000 / 8585088  
Email address: [dohrox@chd10.doh.gov.ph](mailto:dohrox@chd10.doh.gov.ph) Website: <https://www.rho10.doh.gov.ph>



COC No. 2014-71-RLED



## CERTIFICATE OF COMPLIANCE

This certificate of compliance is hereby issued to:

# DOST – REGIONAL STANDARDS AND TESTING LABORATORY

Represented by Director Alfonso P. Alamban, Director IV, with address at Serina St., Carmen, Cagayan de Oro City for having complied with the relevant administrative order/s issued by the Department of Health on the Regulation of your health facility during the conduct of monitoring on the facility on January 24, 2014 by the Health Facility Licensing Team of the Regional Office X, Department of Health.

Given in Cagayan de Oro City, Misamis Oriental, Philippines this 16<sup>th</sup> day of January two thousand and fifteen.

Conforme:

**CHERYL S. BALANE, MD, MM, MPH**  
Licensing Officer V, Chief RLED



This Certificate of Compliance is: (1) valid until another monitoring has been conducted and the facility has been found to be COMPLYING with the regulatory requirements (2) does not include ancillary services regulated by the Food and Drug Administration.